

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		4.25.26.		
2		15. (5.26W25N)	25. (4W25N)	
3	4.	5.25.		
4		1.26.		3.5.
5	4.	3. (2W25N)	25.	
68	X			
9		12.19.21.		
10		19.21.	12.	
11	12.15.	16		
12		9.14.17.19.21.28.		11.13.16.
13	12	15		
14	15	12.17.27.		
15		2.13.19.28.		11.14.16.17.
16	12.15.	11		
17	15.	12.14.		
18	19.	20.27.		
19		9.10.12.15.21.28.		18.20.
20	19	18		
21		9.10.12.19.		
22-24	X			
25		1.3.		27
26		1.4. (2W25N)	25	27
27	25.26.	14.18.	12.15.19.	
28		12.15.19.		
	NEW FRAME.			
	FRAME TESTED IN	WORKS 26.5.59.		

X ORIGINAL DRAWN: 19.11.1958
W TABLE ISSUED: 6.4.1959
REG No.

NEULANDS
LOCKING TABLE

V.T. 5 BAR 4'
S1661 /3

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	5.	4.26.				
2		15.	(7.26W5R)	4.5.		
3	4.5.	7.				
4		1.26.				3.7.
5		6.27.28.				1.3.
6		5.17.20.27.28.				8
7	4. (5 OR 6)	3.	(2W5R)			8
8	6.7.	14.18.		12.15.19.		
9		12.19.21.				
10		19.21.22.		12.		
11	12.15.	16.				
12		9.14.17.19.21. 28.				11.13.16.
13	12	15				
14	15	8.12.17.27.		4.5.6.		
15		2.13.19.28.				11.14.16.17.
16	12.15.	11.				
17	15	6.12.14.				
18	19	8.20.22.27.		4.5.6.		
19		9.10.12.15.21.28.				18.20.
20	19	6.18.				
21		9.10.12.19.				
22	BOLTED NORMAL	10.18.		19.		
23	X					
24	X					
25	X					
26		1.4.	(2W5R)	5.6.		27

X ORIGINAL DRAWN:
 TABLE ISSUED: 10.11.1961 A
 W REG No.

NEWLANDS
 LOCKING TABLE

S 1661 /3/1

