

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.5.			
2		16.19.46.60.64.65.		1
3		20.46.60.64.65.	16.19.	1
4	x			
5		49.62.63.	46.60.64.65. (45w 46R)	1
			(57w 59.60R)(58.59.61 w 60R)	
6	30.31.43.	29.49.51.64.65.75. (50.52w 46N)	32	
7	45.46.	49.71.72.75.76.	22.24.26.27.30.32.	
			(29.31 w 30R)	
8	31.33.37	29.30.50.51.52.62.64.65.73.74.		
		(21.23.25 w 46N)		
9	x			
10	x			
11	x			
12	57 (60w 59R)	50.51.52.55.62.64.65.70.73.	29.30.31.33.35.53.	
		(22.24.26.30w 46N)		
13	43.57.59.	(71.72.75.76 w 51R)	(45w 51R)	(40)
14	DETONATOR			
15	16	17		
16		2.19.26.78.79. (60w 58N)		15.17.
17	16	15		
18	19	20.64.65.		
19		2.16.46.60.		18.20.
20	19	3.18.	64.65.	
21	22.45.	49.56.64.65.72.	27.32.	
		(8.50.55.74w 46N)(62w 51R)		
	ORIGINAL DRAWN: 9.12.1940 ISSUED: 9.1942		LEOMINSTER STATION	
	REG No. 1173		LOCKING TABLE	
				S2265 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
22		24.26.29.30.77. (12w46N)		21.(72)
23	24.45.	49.56.64.65.72. (8.50.55.74 w46N) (62w51R)	27.32.	
24		22.26.30.77. (12w46N)		23.(72)
25	26.45.	49.56.64.65.72.76.77. (8.50.55.74w46N)(62w51R)	27.32.	
26		16.22.24.30.78.79. (12w46N)(60w58N)		25.76.
27			26	(32)
28	29.31. (33or 34w 30N) (45w30R)	55.64.65.70.71.74. (38w30.35N) (49.56w30R)(50w30R 46N) (50w30N)(56.62.77w35N)	(32w30R)	
29		6.8.22.36.73.75.		28.37.70.71.
30		8.22.24.26.35.55.70.73.74. (12w46N)(62w50.51N)		6.71.75.
31			29.30.33.	6.8.28.(32)36.37.70.73.
32	(27w30N)(31w30R)		30	49.56.(62)71.72.75.76.77.
33		35		8.(28)
34	35	36.37.64.65.	29.31.	(28)
35		30.33.50.55.70.73.74. (52.62w51N)		34.36.37.
36	31.35.	29.34.		
37	29.31.35.	34.		8.
38	41.45.51.	(28w30.35N)	22.24.26.27.30.32. (29.31w30R)	
39	x			
40	50 (13 or 41)			

ORIGINAL DRAWN: 9.12.1940
ISSUED: 9.1942

REG No. 1173

LEOMINSTER STATION

LOCKING TABLE

S2265 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
41	52.57.	54.55.56. (70.73w 50.51N) (71.72.75.76 w 51R)	50.51.53. (45w 51R)	(40)
42	x			
43	60.61.	62.63. (70.73w 59R) (78w 59N)	59. (50.51.57 w 59R)	6.13.
44	x			
45			46	7. 21. 23.25. (28)
46	58	2. 3. 19. 51. 60.		7.49.
47	x			
48	x			
49	32.46.	5.6.7.21.23.25. (28w 30R)	45	
50.		8.12.35.51.55.64.65.74. (6.21.23.25 w 46N) (28w 30N) (28w 30R. 46N)		40.54.
51		6.8.12.46.50.55.74.		38.56.77.
52		8.12.59.64.65. (6w 46N) (35w 51N) (60w 58R)		54.55.56.
53			50.51.	54.55.56.62.74.77.
54	50.52.53.	41	57	
55	52.53.	12.28.30.35.41.50.51. (21.23.25 w 46N)	57	
56	32.51.52.53.	21.23.25.41.58. (28w 30R) (28w 35N)	45.57.	
57	(61w 59R)		59	12.13.
58		56.63.64.65.79.		46.
59	58	52		13.62.74.77.
60		2.3.19.46.64.65.74.77.79. (16.26w 58N) (52w 58R)		(12)43.62.63.
61			58.61. (53w 58R)	43. (57)62.63.74.77.79.

ORIGINAL DRAWN: 9.12.1940
ISSUED: 9.1942

REG No. 1173

LEOMINSTER STATION

LOCKING TABLE

S 2265 / 3 / 3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
62	53.59.60.61.	5.8.12.43. (21.23.25 w 51R)	57	
	(32w 51R)	(28w 35N)(30w 50.51N)(35w 51N)		
63	60.61.	5.43.58.		
64		2.3.6.8.12. 18.21.23.25.28.34.50.		
		52.58.60.79.		
65		2.3.6.8.12. 18.21.23.25.28.34.50.		
		52.58.60.79.		
66	DETONATOR			
67	X			
68	X			
69	X			
70	29.31.	12.28.30.35. (41w 50.51N)(43w 59R)	50.51.52.53.57.59.64.65.	
			(60.61w 59R)	
71	29.30.32	7.28. (13.41w 51R)	45.46.51.64.65.	
			(52.53.57.59w 46N)	
			(60.61w 46N 59R)	
72	32. (22 OR 24)	7.21.23.25. (13.41w 51R)	45.46.51.64.65.	
			(52.53.57.59w 46N)	
			(60.61w 46N 59R)	
73	31	8.12.29.30.35. (41w 50.51N)	50.51.52.53.57.59.64.65.	
		(43w 59R)	(60.61w 59R)	
74	53.59.61.	8.28.30.35.50.51.60.(21.23.25w 46N)	57	
75	30.32.	6.7.29. (13.41w 51R)	45.46.51.64.65.	
			(52.53.57.59w 46N)	
			(60.61w 46N 59R)	
	ORIGINAL DRAWN: 9.12.1940	LEOMINSTER STATION		S2265 /3/4
	ISSUED: 9.1942			
	REG No. 1173	LOCKING TABLE		

[illegible]