

Sx (2123605) normal

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		4.6.14.20.45.46		
2				
3	4.5.8.			
4	15	1.14.16.26.34		3.
5		28.34. (13w16R)(17w26N)	26.27. (14.15.16w26N)(22.24w26R)	3.
6	15.16	1.14.	34.	
7	34	35. (17w16R)	16. (14.15w16R)	
8		35.	34.	3.
9	DETONATOR ?			
10	11	12.39.		
11		14.20.40.45.		10.12.
12	11	10.		
13	14.15	17.40. (5w16R)	34.	
14		1.4.6.11.20.45.46 (26.34w16N)		13.17.
15			16.	4.6.13.
16		4.		6.18.
17	14	13. (5w26N)(7w16R)	15.16.	18.
18	16.17.		34.	(35)
19	20. (29w30R)	40.41.43.44.	37.	
20		1.11.14.24.26.45.46.		19.41.
21	22 (27w26R)	28.37.42.	27.	
22	24	23.		21.
23	24 (27w26R)	22.28.37.42.	27.	
24		20.25.30.43.44.		22.23.27.42.
25	26	24.28.		
26		4.20.30.34.37.42.43.46 (14w16N)		25.27.28.
X	ORIGINAL DRAWN: 19.3.24 ISSUED: 30 NOV 1933	PREESGWEENE LOCKING TABLE		MRLI 3.2012
W	REG No. 966			S 3001/3/1



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	24.26			(21)(23)(28)
28	26 (27w24R)	5.21.23.25.	22.27.	
29	30	31.33.41.	20.32.	(19)
30		24.26.37.43.		29.31.32.
31	30	29.32.	20.	
32	30	31.		33.
33	32	29.	20.	
34		4.5.26. (14w16N)		7.35.
35	34 (18w16R)	7.8.		
36		37.42.43.	22.24.26.27.30.	
37		21.23.26.30.36.46.		44.
38			37	44.46.
39		10.	11.	47.
40		11.13.19.	1.14.20.	47.
41	20	19.29.	30.32.	
42	24.	21.23.26.36	22.	
43		19.24.26.30.36.	20.	
44	37.38.	19.24.		
45		1.11.14.20.	26.	47.
46	38.	1.14.20.26.37.		47.
47	39.40.45.46.			
	V.T. 4" CENTRES (3 BAR)			
	OLD No 1369			
X	ORIGINAL DRAWN: ISSUED:			
W	REG No.	LOCKING TABLE		S 3001 /3/2



EX 101217

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		4. 6. <del>14. 20.</del> 45. 46 <b>13. 17</b>		
2				
3	4.5.8.			
4	15.	1. 14. 16. 26. 34		3.
5		28. 34. <b>17</b> ( <del>13w16r</del> ) ( <del>17w26n</del> )	26. 27. ( <del>14. 18. 16w26n</del> ) ( <del>22. 24w26r</del> )	3.
6	15. 16	<del>1. 14.</del>	34.	
7	34	35. ( <del>17w16r</del> )	16. ( <del>14. 15w16r</del> )	
8		35.	<del>34.</del>	3.
9	DETONATOR ?			
10	11	12. 39.		
11		14. 20. 40. 45.		10. 12.
12	11	10.		
13		<del>14. 15 (14OR20) (29w2030r)</del> 17. 40. <b>1. 41.</b> ( <del>5w16r</del> ) ( <del>37. 43w20r</del> )	<del>34.</del>	
14		<del>1. 4. 6. 11. 20. 45. 46</del> ( <del>26. 34w16n</del> )		<b>(13) 17</b>
15			16.	<del>4. 6. 13.</del>
16		4. <b>35.</b>		<del>6. 18.</del>
17	14	13. <b>1. 5.</b> ( <del>5w26n</del> ) ( <del>7w16r</del> )	<del>15. 16.</del>	<del>18.</del>
18	<del>16. 17.</del> x		<del>34.</del>	<del>(35)</del>
19	<del>20. (29w30r)</del> x	<del>40. 41. 43. 44.</del>	<del>37.</del>	
20		1. 11. 14. 24. 26. 45. 46.		<del>19. 41. (13)</del>
21	22 (27w26r)	28. 37. 42.	<del>27.</del>	
22	24	23.		21.
23	24 (27w26r)	22. 28. 37. 42.	<del>27.</del>	
24		20. 25. 30. 43. 44.		22. 23. 27. 42.
25	26	24. 28		
26		4. 20. 30. 34. 37. 42. 43. 46 ( <del>14w16n</del> )		25. 27. 28.

X ORIGINAL DRAWN: 19.3.24  
 ISSUED: 20 OCT 1960  
 W REG No. 966

PREESGWEENE  
 LOCKING TABLE

MRL 3.2012  
 S 3001/3/1



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	24.26			(21)(23)(28)
28	26 (27w24R)	5.21.23.25.	22.27.	
29	30	31.33.41.	20.32.	<del>(19)</del> (13)
30		24.26.37.43.		29.31.32.
31	30	29.32.	20.	
32	30	31.		33.
33	32	29.	20.	
34		4.5.26. (14w16N)		7.35.
35	34 (18w16R)	7.8.16		
36		37.42.43.	22.24.26.27.30. (20w30N)	
37		21.23.26.30.36.46. (13w20R)		44.
38	X			.
39		10.	11.	47.
40		11.13.19.	1.14.20.	47.
41	20	<del>19.</del> 29.13.	30.32.	
42	24.	21.23.26.36	22.	
43		<del>19.</del> 24.26.30.36. (13w20R)	20.	
44	37	<del>19.</del> 24.		
45		1.11.14.20.	26.	47.
46		1.14.20.26.37.		47.
47	39.40.45.46.			
	V.T. 4" CENTRES (3 BAR)	LOCKS N 4.5.	WB&SCo LOCK & C.C. NBPR	34 37
		" WITH LCC 8.35.36.39	" " " NB	44 46 7
		" " " + (RD) 15	SHORT LEVERS	3 34 37 47
	OLD No 1369	CONTACTS + SPRING (2N2R) 3.47		
X	ORIGINAL DRAWN:			
	ISSUED:			
W	REG No.			

LOCKING TABLE

S 3001 / 3/2